

REF.	STANG INCH	STANG MM	CILINDER INCH	CILINDER MM	ORING I.D INCH	ORING I.D MM
001	1/32	0.8	0.095	2.5	0.029	0.73
002	3/64	1.2	0.130	3.3	0.042	1.07
003	1/16	1.6	0.160	4.1	0.056	1.42
004	5/64	2	13/64	5	0.070	1.78
005	7/64	2.8	16/64	6	0.101	2.57
006	1/8	3	1/4	6.3	0.114	2.90
007	5/32	4	9/32	7	0.145	3.69
008	3/16	4.5	5/16	8	0.176	4.47
009	7/32	5.5	11/32	8.7	0.208	5.28
010	1/4	6	3/8	9.5	0.239	6.07
011	5/16	7.6	7/16	11	0.301	7.66
012	3/8	9.5	1/2	12.7	0.364	9.25
013	7/16	11	9/16	14.2	0.426	10.82
014	1/2	12.5	5/8	15.6	0.489	12.42
015	9/16	14	11/16	17.2	0.551	14
016	5/8	15.5	3/4	18.8	0.614	15.60
017	11/16	17.4	13/16	20.5	0.676	17.16
018	3/4	19	7/8	22	0.739	18.77
019	13/16	20.5	15/16	23.5	0.801	20.35
020	7/8	22	1	25.4	0.864	21.95
021	15/16	23.5	1 1/16	26.8	0.926	23.52

REF.	STANG INCH	STANG MM	CILINDER INCH	CILINDER MM	ORING I.D INCH	ORING I.D MM
022	1	25	1 1/8	28.5	0.989	25.12
023	1 1/16	27	1 3/16	30	1.051	26.70
024	1 1/8	28	1 1/4	31.5	1.114	28.30
025	1 3/16	30	1 5/16	33.5	1.176	29.87
026	1 1/4	31.5	1 3/8	35	1.239	31.47
027	1 5/16	33	1 7/16	36.3	1.301	33.05
028	1 3/8	34.5	1 1/2	38	1.364	34.65
029	1 1/2	38	1 5/8	41	1.489	37.82
030	1 5/8	41	1 3/4	44.5	1.614	41
031	1 3/4	44	1 7/8	47	1.739	44.17
032	1 7/8	47	2	51	1.864	47.37
033	2	50	2 1/8	54	1.989	50.52
034	2 1/8	53	2 1/4	58	2.114	53.67
035	2 1/4	56.5	2 3/8	61	2.239	56.87
036	2 3/8	60	2 1/2	64	2.364	60.04
037	2 1/2	63	2 5/8	67	2.489	63.22
038	2 5/8	66	2 3/4	70	2.614	66.4
039	2 3/4	69.5	2 7/8	74	2.739	69.57
040	2 7/8	73	3	77	2.864	72.76
041	3	76	3 1/8	80	2.989	75.94
042	3 1/4	82	3 3/8	86	3.239	82.28

O-ringchart 1,78

REF.	STANG INCH	STANG MM	CILINDER INCH	CILINDER MM	ORING I.D INCH	ORING I.D MM
------	------------	----------	---------------	-------------	----------------	--------------

043	3 1/2	88.5	3 5/8	92	3.489	88.64
044	3 3/4	95	3 7/8	99	3.739	95
045	4	101	4 1/8	105	3.989	101.34
046	4 1/4	107	4 3/8	112	4.239	107.7
047	4 1/2	114	4 5/8	118	4.489	114
048	4 3/4	120	4 7/8	124	4.739	120.4
049	5	127	5 1/8	130	4.989	126.76
050	5 1/4	133	5 3/8	136	5.239	133.1

REF.	STANG INCH	STANG MM	CILINDER INCH	CILINDER MM	ORING I.D INCH	ORING I.D MM
102	1/16	1.6	1/4	6.0	0.049	1.24
103	3/32	2.4	9/32	7.0	0.081	2.06
104	1/8	3	5/16	7.6	0.112	2.84
105	5/32	4	11/32	8.7	0.143	3.63
106	3/16	4.5	3/8	9.5	0.174	4.42
107	7/32	5.5		10.2	0.206	5.23
108	1/4	6	7/16	11	0.37	6.02
109	5/16	7.6	1/2	12.7	0.299	7.60
110	3/8	9.5	9/16	14.2	0.362	9.19
111	7/16	11	5/8	15.6	0.424	10.78
112	1/2	12.5	11/16	17.2	0.487	12.37
113	9/16	14	3/4	18.8	0.549	13.95
114	5/8	15.5	13/16	20.5	0.612	15.54
115	11/16	17.4	7/8	22	0.674	17.13
116	3/4	19	15/16	23.5	0.737	18.72
117	13/16	20.5	1	25.4	0.799	20.29
118	7/8	22	11/16	26.8	0.862	21.90
119	15/16	23.5	1 1/8	28.5	0.924	23.47
120	1	25	1 3/16	30	0.987	25.07
121	1 1/16	27	1 1/4	31.5	1.049	26.65
122	1 1/8	28	1 5/16	33.5	1.112	28.25

REF.	STANG INCH	STANG MM	CILINDER INCH	CILINDER MM	ORING I.D INCH	ORING I.D MM
123	1 3/16	30	1 3/8	35	1.174	29.83
124	1 1/4	31.5	1 7/16	36.3	1.237	31.42
125	1 5/16	33	1 1/2	38	1.299	33
126	1 3/8	34.5	1 9/16	40	1.362	34.60
127	1 7/14	36	1 5/8	41	1.424	36.17
128	1 1/2	38	1 11/16	43	1.487	37.77
128	1 9/16	39.5	1 3/4	44.5	1.549	39.35
130	1 5/8	41	1 13/16	46	1.612	40.95
131	1 11/16	42.5	1 7/8	47	1.674	42.52
132	1 3/4	44	1 15/16	46	1.737	44.12
133	1 13/16	45.5	2	51	1.799	45.70
134	1 7/8	47	2 1/16	53	1.862	47.30
135	1 15/16	49	2 1/8	54	1.925	48.90
136	2	50	2 3/16	56	1.987	50.47
137	2 1/16	52	2 1/4	58	2.050	52.07
138	2 1/8	53	2 5/16	59	2.112	53.65
139	2 3/16	55	2 3/8	61	2.175	55.25
140	2 1/4	56.5	2 7/16	62.5	2.237	56.82
141	2 5/16	58.5	2 1/2	64	2.300	58.42
142	2 3/8	60	2 9/16	66	2.362	60
143	2 7/16	61.5	2 5/8	67	2.425	61.60

REF.	STANG INCH	STANG MM	CILINDER INCH	CILINDER MM	ORING I.D INCH	ORING I.D MM
144	2 1/2	63	2 11/16	69	2.487	63.17
145	2 9/16	65	2 3/4	70	2.550	64.77
146	2 5/8	66	2 13/16	72	2.612	66.35
147	2 11/16	68	2 7/8	74	2.675	67.95
148	2 3/4	69.5	2 15/16	75	2.737	69.52
149	2 13/16	71	3	77	2.800	71.12
150	2 7/8	73	3 1/16	78	2.862	72.70
151	3	76	3 1/16	82	2.987	75.88
152	3 1/4	82	3 7/16	88	3.237	82.22
153	3 1/2	88.5	3 11/16	94	3.487	88.58
154	3 3/4	95	3 15/16	101	3.737	94.93
155	4	101	4 3/16	107	3.987	101.28
156	4 1/4	107	4 7/16	113	4.237	107.63
157	4 1/2	114	4 11/16	120	4.487	113.98
158	4 3/4	120	4 15/16	126	4.737	120.33
159	5	127	5 3/16	132	4.987	126.67
160	5 1/4	133	5 7/16	138	5.237	133
161	5 1/2	139	5 11/16	145	5.487	139.38
162	5 3/4	145	5 15/16	151	5.737	145.73
163	6	151	6 3/16	158	5.987	152.07
164	6 1/4	158	6 7/16	164	6.237	158.43

O-ringchart 2,62

REF.	STANG INCH	STANG MM	CILINDER INCH	CILINDER MM	ORING I.D INCH	ORING I.D MM
165	6 1/2	164	6 11/16	170	6.487	164.78
166	6 3/4	170	6 15/16	177	6.737	171.13
167	7	177	7 3/16	183	6.987	177.48
168	7 1/4	183	7 7/16	190	7.237	183.83
169	7 1/2	190	7 11/16	196	7.487	190.18
170	7 3/4	196	7 15/16	202	7.737	196.53
171	8	202	8 3/16	209	7.987	202.88
172	8 1/4	209	8 7/16	215	8.237	209.23
173	8 1/2	215	8 11/16	222	8.487	215.58
174	8 3/4	221	8 15/16	228	8.737	221.93
175	9	228	9 3/16	234	8.987	228.28
176	9 1/4	234	9 7/16	240	9.237	234.63
177	9 1/2	240	9 11/16	247	9.487	240.98
178	9 3/4	247	9 15/16	253	9.737	247.33

REF.	STANG INCH	STANG MM	CILINDER INCH	CILINDER MM	ORING I.D INCH	ORING I.D MM
201	3/16	4.5	7/16	11	0.171	4.34
202	1/4	6.0	1/2	12.5	0.234	5.94
203	5/16	7.6	9/16	14	0.296	7.52
204	3/8	9.5	5/8	15.5	0.359	9.12
205	7/16	11	11/16	17.4	0.421	10.69
206	1/2	12.5	3/4	19	0.484	12.29
207	9/16	14	13/16	20.5	0.546	13.87
208	5/8	15.5	7/8	22	0.609	15.47
209	11/16	17.4	15/16	23.5	0.671	17.04
210	3/4	19	1	25.4	0.734	18.64
211	13/16	20.5	1 1/16	26.8	0.796	20.22
212	7/8	22	1 1/8	28.5	0.859	21.82
213	15/16	23.5	1 3/16	30	0.921	23.4
214	1	25	1 1/4	31.5	0.984	25
215	1 1/16	27	1 5/16	33.5	1.046	26.57
216	1 1/8	28	1 3/8	35	1.109	28.17
217	1 3/16	30	1 7/16	36.3	1.171	29.75
218	1 1/4	31.5	1 1/2	38	1.234	31.34
219	1 5/16	33	1 9/16	40	1.296	32.93
220	1 3/8	34.5	1 5/8	41	1.359	34.52
221	1 7/16	36	1 11/16	43	1.421	36.1

REF.	STANG INCH	STANG MM	CILINDER INCH	CILINDER MM	ORING I.D INCH	ORING I.D MM
222	1 1/2	38	1 3/4	44.5	1.484	37.7
223	1 5/8	41	1 7/8	47	1.609	40.87
224	1 3/4	44	2	51	1.734	44.05
225	1 7/8	47	2 1/8	54	1.859	47.23
226	2	50	2 1/4	58	1.981	50.4
227	2 1/8	53	2 3/8	61	2.109	53.57
228	2 1/4	56.5	2 1/2	64	2.234	56.75
229	2 1/8	60	2 5/8	67	2.359	59.92
230	2 1/2	63	2 3/4	70	2.484	63.1
231	2 5/8	66	2 7/8	74	2.609	66.27
232	2 3/4	69.5	3	77	2.734	69.44
233	2 7/8	73	3 1/8	80	2.859	72.62
234	3	76	3 1/4	83	2.984	75.8
235	3 1/8	79	3 3/8	86	3.109	78.97
236	3 1/4	82	3 1/2	90	3.234	82.14
237	3 1/8	85	3 5/8	92	3.359	85.32
238	3 1/2	88.5	3 3/4	96	3.484	88.5
239	3 5/8	91.5	3 7/8	99	3.609	91.57
240	3 3/4	95	4	102	3.734	94.84
241	3 7/8	98	4 1/8	105	3.859	98.02
242	4	101	4 1/4	109	3.984	101.2

REF.	STANG INCH	STANG MM	CILINDER INCH	CILINDER MM	ORING I.D INCH	ORING I.D MM
243	4 1/8	104	4 3/8	112	4.109	104.37
244	4 1/4	107	4 1/2	115	4.234	107.54
245	4 3/8	110.5	4 5/8	118	4.359	110.72
246	4 1/2	114	4 3/4	121	4.484	113.9
247	4 5/8	116	4 7/8	124	4.609	117.07
248	4 3/4	120	5	127	4.734	120.24
249	4 7/8	123	5 1/8	130	4.859	123.42
250	5	127	5 1/4	133	4.984	126.6
251	5 1/8	130	5 3/8	136	5.109	129.77
252	5 1/4	133	5 1/2	140	5.234	132.94
253	5 3/8	136	5 5/8	143	5.359	136.12
254	5 1/2	139	5 3/4	146	5.484	139.3
255	5 5/8	142	5 7/8	149	5.609	142.47
256	5 3/4	145	6	152	5.734	146.65
257	5 7/8	148	6 1/8	156	5.859	148.82
258	6	151	6 1/4	160	5.984	152
259	6 1/4	158	6 1/2	166	6.234	158.35
260	6 1/2	164	6 3/4	172	6.484	164.7
261	6 3/4	170	7	179	6.734	171.05
262	7	177	7 1/4	185	6.984	177.4
263	7 1/4	183	7 1/2	191	7.234	183.75

REF.	STANG INCH	STANG MM	CILINDER INCH	CILINDER MM	ORING I.D INCH	ORING I.D MM
264	7 1/2	190	7 3/4	198	7.484	190.1
265	7 3/4	196	8	204	7.734	196.45
266	8	202	8 1/4	210	7.984	202.8
267	8 1/4	209	8 1/2	217	8.234	209.15
268	8 1/2	215	8 3/4	223	8.484	215.5
269	8 3/4	221	9	230	8.734	221.85
270	9	228	9 1/4	236	8.984	228.2
271	9 1/4	234	9 1/2	242	9.234	234.55
272	9 1/2	240	9 1/4	249	9.484	240.9
273	9 3/4	247	10	255	9.734	247.25
274	10	253	10 1/4	262	9.984	253.6
275	10 1/2	266	10 3/4	274	10.484	266.3
276	11	278	11 1/4	287	10.984	279
277	11 1/2	291	11 3/4	300	11.484	291.7
278	12	304	12 1/4	312	11.984	304.4
279	13	330	13 1/4	338	12.984	329.8
280	14	355	14 1/4	363	13.984	355.2
281	15	380	15 1/4	389	14.984	380.6
282	16	405	16 1/4	414	15.955	405.26
283	17	431	17 1/4	440	16.955	430.66
284	18	456	18 1/4	465	17.955	456.06

REF.	STANG INCH	STANG MM	CILINDER INCH	CILINDER MM	ORING I.D INCH	ORING I.D MM
309	7/16	11	13/16	20.5	0.412	10.46
310	1/2	12.5	7/8	22	0.475	12.07
311	9/16	14	15/16	23.5	0.537	13.64
312	5/8	15.5	1	25	0.600	15.24
313	11/16	17.4	11/16	27	0.662	16.81
314	3/4	19	11/8	28	0.725	18.42
315	13/16	20.5	13/16	30	0.787	19.99
316	7/8	22	1 1/4	31.5	0.850	21.59
317	15/16	23.5	15/16	33	0.912	23.16
318	1	25	1 3/8	34.5	0.975	24.77
319	1 1/16	27	1 7/16	36.3	1.037	26.34
320	1 1/8	28	1 1/2	38	1.100	27.94
321	1 3/16	30	1 9/16	40	1.162	29.51
322	1 1/4	31.5	1 5/8	41	1.225	31.12
323	1 5/16	33	1 11/16	43	1.287	32.69
324	1 3/8	34.5	1 3/4	44.5	1.350	34.29
325	1 1/2	38	1 7/8	47	1.475	37.47
326	1 5/8	41	2	51	1.600	40.65
327	1 3/4	44	2 1/8	54	1.725	43.82
328	1 7/8	47	2 1/4	58	1.850	47
329	2	50	2 3/8	61	1.975	50.16

REF.	STANG INCH	STANG MM	CILINDER INCH	CILINDER MM	ORING I.D INCH	ORING I.D MM
330	2 1/8	53	2 1/2	64	2.100	53.34
331	2 1/4	56.5	2 5/8	67	2.225	56.32
332	2 3/8	60	2 3/4	70	2.350	59.70
333	8	47	2 1/8	74	1.859	47.23
334	2 5/8	66	3	77	2.600	66.04
335	2 3/4	69.5	3 1/8	80	2.725	69.22
336	2 7/8	73	3 1/4	83	2.850	72.40
337	3	76	3 3/8	86	2.975	75.57
338	3 1/8	79	3 1/2	90	3.100	78.74
339	3 1/4	82	3 5/8	92	3.225	81.92
340	3 3/8	85	3 3/4	96	3.350	85.1
341	3 1/2	88.5	3 7/8	99	3.475	88.27
342	3 5/8	91.5	4	102	3.600	91.44
343	3 3/4	95	4 1/8	105	3.725	94.62
344	3 7/8	98	4 1/4	109	3.850	97.80
345	4	101	4 3/8	112	3.975	100.97
346	4 1/8	104	4 1/2	115	4.100	104.14
347	4 1/4	107	4 5/8	118	4.225	107.32
348	4 3/8	110.5	4 7/8	121	4.350	110.5
349	4 1/2	114	4 7/8	124	4.475	113.67
350	4 5/8	116	5	127	4.600	116.84

REF.	STANG INCH	STANG MM	CILINDER INCH	CILINDER MM	ORING I.D INCH	ORING I.D MM
351	4 3/4	120	5 1/8	130	4.725	120.02
352	4 7/8	123	5 1/4	133	4.850	123.20
353	5	127	5 3/8	136	4.975	126.37
354	5 1/8	130	5 1/2	140	5.100	129.54
355	5 1/4	133	5 5/8	143	5.225	132.72
356	5 3/8	136	5 3/4	146	5.350	135.90
357	5 1/2	139	5 7/8	149	5.475	139.07
358	5 5/8	142	6	152	5.600	142.24
359	5 3/4	145	6 1/8	156	5.725	145.42
360	5 7/8	148	6 1/4	160	5.850	148.60
361	6	151	6 1/2	163	5.975	151.77
362	6 1/4	158	6 5/8	169	6.225	158.12
363	6 1/2	164	6 7/8	175	6.475	164.47
364	6 3/4	170	7 1/8	182	6.725	170.82
365	7	177	7 3/8	188	6.975	177.17
366	7 1/4	183	7 5/8	195	7.225	183.52
367	7 1/2	190	7 7/8	201	7.475	189.87
368	7 1/2	196	8 1/8	208	7.725	196.22
369	8	202	8 3/8	214	7.975	202.57
370	8 1/4	209	8 5/8	220	8.225	208.92
371	8 1/2	215	8 7/8	226	8.475	215.27

REF.	STANG INCH	STANG MM	CILINDER INCH	CILINDER MM	ORING I.D INCH	ORING I.D MM
------	------------	----------	---------------	-------------	----------------	--------------

372	8 3/4	221	9 1/8	232	8.725	221.62
373	9	228	9 3/8	239	8.975	227.97
374	9 1/4	234	9 5/8	245	9.225	234.32
375	9 1/2	240	9 7/8	252	9.4757	240.67
376	9 3/4	247	10 1/8	258	9.725	247.02
377	10	253	10 3/8	265	9.975	253.37
378	10 1/2	266	10 7/8	277	10.475	266.07
379	11	278	11 3/8	290	10.975	278.77
380	11 1/2	291	11 7/8	303	11.475	291.47
381	12	304	12 3/8	315	11.975	304.17
382	13	330	13 3/8	341	12.975	329.57

REF.	STANG INCH	STANG MM	CILINDER INCH	CILINDER MM	ORING I.D INCH	ORING I.D MM
425	4 1/2	114	5	127	4.475	113.67
426	4 5/8	116	5 1/8	130	4.600	116.84
427	4 3/4	120	5 1/4	133	4.725	120.02
428	4 7/8	123	5 3/8	136	4.850	123.2
429	5	127	5 1/2	140	4.975	126.37
430	5 1/8	130	5 5/8	143	5.100	129.54
431	5 1/4	133	5 3/4	146	5.225	132.72
432	5 3/8	136	5 7/8	149	5.350	135.9
433	5 1/2	139	6	152	5.475	139.07
434	5 5/8	142	6 1/8	156	5.600	142.24
435	5 3/4	145	6 1/4	160	5.725	145.42
436	5 7/8	148	6 3/8	163	5.850	148.6
437	6	151	6 1/2	166	5.975	151.77
438	6 1/4	158	6 3/4	172	6.225	158.12
439	6 1/2	164	7	179	6.475	164.47
440	6 3/4	170	7 1/4	185	6.725	170.82
441	7	177	7 1/2	191	6.975	177.17
442	7 1/4	183	7 3/4	198	7.225	183.52
443	7 1/2	190	8	204	7.475	189.87
444	7 3/4	196	8 1/4	210	7.725	196.22
445	8	202	8 1/2	217	7.975	202.57

REF.	STANG INCH	STANG MM	CILINDER INCH	CILINDER MM	ORING I.D INCH	ORING I.D MM
446	8 1/2	215	9	230	8.475	215.27
447	9	228	9 1/2	242	8.975	227.97
448	9 1/2	240	10	255	9.475	240.67
449	10	253	10 3/4	268	9.975	253.57
450	10 1/2	266	11	280	10.475	266.07
451	11	278	11 1/2	293	10.975	278.77
452	11 1/2	291	12	306	11.475	291.47
453	12	304	12 1/2	319	11.975	304.17
454	12 1/2	317	13	331	12.475	316.87
455	13	330	13 3/4	350	13.225	335.9
456	13 1/2	342	14	357	13.475	342.27
457	14	355	14 1/2	370	13.975	354.97
458	14 1/2	368	15	382	14.475	367.67
459	15	380	15 1/2	395	14.975	380.37
460	15 1/2	393	16	408	14.475	393.07
461	16	405	16 1/2	420	15.955	405.26
462	16 1/2	418	17	432	16.455	417.96
463	17	431	17 1/2	445	16.955	430.66
464	17 1/2	443	18	458	17.455	443.36
465	18	456	18 1/2	471	17.955	456.06
466	18 1/2	469	19	483	18.455	468.76

REF.	STANG INCH	STANG MM	CILINDER INCH	CILINDER MM	ORING I.D INCH	ORING I.D MM
467	19	482	19 1/2	496	18.955	481.46
468	19 1/2	494	20	509	19.455	494.16
469	20	207	20 1/2	521	19.955	506.86
470	21	532	21 1/2	547	20.955	532.26
471	22	558	22 1/2	573	21.955	557.66
472	23	583	23 1/2	598	22.940	582.68
473	24	608	24 1/2	624	23.940	608.08
474	25	634	25 1/2	649	24.940	633.48
475	26	660	26 1/2	675	25.940	658.88